

Index

- absence seizures 637
 abstract rewards 196–7
 ACC see anterior cingulate cortex
 ACC/MCC border 16
 reciprocal suppression 16–18
 accumbens path 622, 624
 ACTH 468
 action-outcome learning 202–3
 action-outcome monitoring 136
 acupuncture placebo 349–50
 ADHD see attention-deficit/hyperactivity disorder
 affective division 248
 affectivity in schizophrenia 681–2
 age-associated cognitive decline 729
 age-related cognitive decline 729
 allodynia 428–9
 and endogenous opioids 429–30
 allostasis 468, 485–6
 allostatic load 468
 alpha₁ adrenoreceptors 49–50
 alpha₂ adrenoreceptors 50–1
 alpha-synuclein 711–14
 Alzheimer's disease 25, 56, 239, 708, 764
 amyloid-beta peptides 775–81
 anterior cortical atrophy 769–70,
 772–3
 apathy of 56, 768, 772
 cingulate damage 775
 marker peptides 775–7
 progression 784–86
 autobiographical memory 755–6
 behavioral disturbances 756
 Braak stages 764–5
 cingulate circuitry 793–4
 cingulate functional impairment 772
 episodic memory 753–55
 four-region neurobiological model 766–8
 genotype and cingulate activity 757
 impaired posterior cingulate metabolism 753–6
 Lewy body expression in 721–2
 multivariate models 751–52, 771
 neurodegeneration laminar patterns 777–86
 linear model 765
 mechanisms of 721
 multiple/progressive
 subgroups 769–71
 neuroimaging studies 757
 functional neuroimaging 751–2
 structural imaging 751
 neuron death and disease
 markers 784–6
 posterior cortical atrophy 774
 amyloid peptides 788–90, 792
 early visual impairment 790–3
 histopathology 786–8
 multivariate model 786–7
 as subtype 793
 visuospatial impairment 786
 primary cingulate focus 740–2
 prodromal, cingulate cortex
 activity 752–3
 sense of self 755–6
 subgroups 757–8
 subcortical changes 781–84
 cingulate neurodegeneration 769–71
 subtypes 793
 symptoms
 aggression 781–4
 apathy and depression 768
 impulsivity 781–4
 verbal abuse 781–4
 typical 772
 visuoconstructional apraxia 732–3, 742
 visuospatial impairment 786
see also Lewy body dementia; mild cognitive impairment
 amnesia
 mild cognitive impairment 752
 retrosplenial 15, 154, 157
 AMPA receptors 34–42
 binding in cingulate cortex 34
 amygdala 9–11
 behavioral orienting/
 conditioning 477–9
 cingulate afferents 10, 148–57,
 357–58
 cingulate projections 357–8
 emotional memories 455
 involvement in valencing 302
 nociceptive viscerosomatic
 driving 475–6
 norepinephrine afferents 477–79
 in pain affect 424–6
 posttraumatic stress disorder 457–8
 temporocingulate interactions 146–7
 amygdalocingulate interactions
 207–18
 anterior cingulate cortex 208–9
 associative ambiguity 213–14
 fear extinction 209
 surprise 211–13
 imaging studies 209–10
 ingrowth of 692–3
 midcingulate cortex 208–9
 amygdalofugal projections 208
 amyloid-β42
 Alzheimer's disease 777
 deposition 546–9, 714–15
 age preference 546
 in depression 550–2
 intraneuronal Aβ42 546–7
 and neurodegeneration 720
 plaque Aβ42 548–50
 depression 546–52
 Lewy body disease 713–17
 mild cognitive impairment 734–39
 α-synuclein relations 713–14
 amyloid-β43, excess deposition 771,
 781–5
 amyloid peptides 790
 analgesia 381–95
 anticipation 375–6
 role of ACC in 442–4
 stimulation induced 442–44
 anesthetic sensitivity; posterior cingulate gyrus 282–3
 anhedonia 656
 annectant gyrus 283
 anterior cerebral artery 278–79

- anterior cingulate cortex 6, 8, 620
 Alzheimer's disease 756
 executive impairment 772-3
 mood 772-3
 see also anterior cortical atrophy
 amygdalocingulate interactions 208-9
 associative ambiguity 213-14
 fear extinction 209
 neuroimaging 209-10
 surprise 211-13
 analgesia 442-4
 MCS-evoked 444-6
 antipsychotic drug actions 665
 caudal 11
 closed loop circuits 621-2
 comparative studies 71, 72
 descending projections 340-1
 functions 12-14
 emotion 13, 192-201, 221-25
 HPA axis interactions 470-1
 monkey 72
 motivation 172
 neuroimaging studies
 amygdalocingulate
 interactions 209-10
 reward 192-202
 nociception 320-2, 374, 424, 439-46
 nociceptive sensorimotor
 orientation 327-8
 open loop circuits 622-4
 pain processing 401-12, 430
 panic disorders 453-61
 postnatal development, and onset of
 schizophrenia 690-1
 posttraumatic stress disorder
 453-61, 490
 blunting of output 490-1
 localization of functional
 changes 459
 prefrontal cortical connections 620-1
 pregural 20, 221
 allostasis 485-6
 conflict monitoring 242
 disease associations 242
 pain affect 424
 unpleasantness 317-18
 in psychopathology 683-4
 receptors in 36, 44, 45, 46, 48, 49, 52
 response to noxious stimuli 312
 reward 172, 192-202
 functional neuroimaging
 studies 192-200
 lesions in animals 192
 lesions in humans 200-1
 schizophrenia
 altered neural circuitry 686-9
 GABAergic system dysfunction
 684-6
 relation to postnatal development
 690-1
 stress 490-1
 subgenual 20
 cytoarchitecture 69, 74, 543-45
 disease associations 242
 Lewy body dementia pathology 715
 normal cytology 543-5
 supracallosal 18
 thalamocingulate connections 97-101
 visceral responses 228-30
 anterior cortical atrophy 769-70, 772-3
 cingulate damage 775
 marker peptides in 775-7
 anticipation
 analgesia 375-6
 pain 374
 role of anterior dorsal MCC in 255
 anticipatory neurons 368
 antipsychotic drugs 665
 anxiety 239
 apathy
 Alzheimer's disease 768
 mild cognitive impairment 768
 apolipoprotein E, epsilon-4 allele in
 Alzheimer's disease 757, 771
 arcuate sulcus 124
 area 23 8, 15
 cingulofrontal connections 120-2
 neurotransmitter receptors 39-46,
 48, 50, 53
 area d23 155-8
 comparative studies 81-3
 area d23b 68, 69, 97, 98
 area v23 155-8
 area v23b 96-7, 98, 100
 area 23c, comparative studies 83
 area 24 1, 7, 8, 11, 101-4
 cingulofrontal connections 115-17
 neurotransmitter receptors 12, 36,
 43-50, 52, 53
 area 24' 97, 99, 101
 cingulofrontal connections 117-20
 area 24b 68, 69
 comparative studies 72
 area a24b, Lewy body dementia
 pathology 715-16
 area a24c' 101
 Lewy body dementia pathology
 716-17
 area p24c' 68, 69, 101
 area 24d, comparative studies 74-7
 area 25 68, 69, 104
 cingulofrontal connections 115-17
 neurotransmitter receptors
 35, 43-49, 52
 area 29 97
 frontal-retrosplenial
 connections 122-3
 neurotransmitter receptors 40, 43,
 47, 49-51
 area 30 97, 99
 frontal-retrosplenial
 connections 122-3
 neurotransmitter receptors 40, 43,
 47, 49-51
 area 31
 cingulofrontal connections 120-2
 comparative studies 84-5
 neurotransmitter receptors 41-45
 area 32 66, 104, 105, 115
 cingulofrontal connections 115-17
 comparative studies 72
 neurotransmitter receptors 34, 42-50
 area 33 21, 77-9
 neurotransmitter receptors 48, 51
 associative ambiguity 213-14
 attention 4, 6, 23
 complex 660-2
 to location 423
 to pain 404-8
 role of anterior dorsal MCC in 255-6
 selective
 to pain anticipation 374
 in schizophrenia 682
 to unpleasantness 423, 426
 attention-deficit/hyperactivity
 disorder 239, 625
 anterior dorsal MCC dysfunction
 262-5
 methylphenidate challenge 264-5
 neurobiological viewpoint 267-8
 open-loop circuits 629
 region-of-interest approach 265-7
 attention-related tasks 403
 attention-to-action 23
 attention-to-unpleasantness 422-30
 atypical neuroleptics 239
 auditory information flow 154-5
 auditory stimuli
 input 285-7
 reward value 195-6
 autism 625
 autobiographical memory 755-6
 automatisms 638-9
 emotional 639-43
 autonomic activity, electrically
 evoked 221
 autonomic control 258
 psychopathy 576
 autonomic output 302
 regulation 226-7
 avoidance behavior 577
 awareness
 phenomenal 573
 reflective 573
 baroreceptor afferents 221-2
 Barrington's nucleus 468
 basal ganglia, OCD 628-9
 Beck Depression Inventory 538
 behavior
 cognitive aspects of control 131-3
 monitoring 133-5
 reward-based control 133
 behavioral control systems 358-60
 behavioral orienting/conditioning 477-9
 behavior disorders 619-40
 open/closed loop circuits 624-5
 benzodiazepine binding site 57
 bipolar disorder 538, 553, 684
 flight of ideas 684
 neuron shrinkage 557-8
 postmortem studies 684-9
 body orientation 230-1, 300
 thalamic pain mechanism 231
 role of posterior cingulate cortex 285

- callosal sulcus 18, 19
comparative studies 77–9
capsaicin 403
capsulotomy 409
cardiovascular system 227
catastrophization 503
catechol-*O*-methyltransferase *see* COMT
caudal cingulate motor area 123–7
caudomedial lobule 69
cell-cycle reentry mechanism of
neurodegeneration 739–40
cell proliferation, role of dopamine in 175
central neuropathic pain 419–30
central sensitization 485
centroids 67
cerebral arteries 278, 279
cerebral blood flow
motor cortex stimulation 440, 441
 α -opioid receptor involvement 347
cerebral metabolism 281–2
chemoreceptors 224
cholinergic system 45–9
muscarinic M₁/M₃ receptors 45–7
muscarinic M₂ receptors 46, 47–8
nicotinic receptors 48–9
chronic pain 24–5
clinical syndromes 371, 427–30
chronic regional pain syndromes 420
chronic widespread pain 420
cingulate cortex
cytoarchitecture 7–9
monkey *see* monkey cingulate cortex
regions 3–20
subregions 20–1
see also individual regions and subregions
cingulate efferents 352–60, 581–82,
621–24
cingulate gyrus 4, 6, 114, 145
Alzheimer's disease 749–58
analgesic anticipation 376–7
depression 519–31
external 456, 808
monkey 116
neurodegeneration, mechanisms of
720–1
neuropsychiatric disease 241–3
pain anticipation 365–77
pain processing 312–13
posterior *see* posterior cingulate gyrus
psychopathy 571–83
valence-code processing model
277, 300–2
cingulate motor areas 114, 130–5, 136–7,
247, 620–1
activation 202
behavior
cognitive aspects of control 131–3
monitoring 133–5
reward-based control 133
caudal 123–7, 137, 284, 287
Lewy body dementia
pathology 718, 719
PET studies 292–5
cingulofrontal interconnections 123–7
conflict monitoring 133–5, 136
error detection 133–5
human studies 135
motor control functions 130–1
psychiatric disorders 629–30
rostral 123–7, 137
Lewy body dementia pathology 718
somatotopic organization 130
cingulate organization, one- and
two-region models 5–6
cingulate-prefrontal information
processing 171–2
cingulate premotor areas *see also cingulate motor areas*
DAMGO binding 344–5
MITN projections 329–30
nociception 329–30
striatal projections 330–1
cingulate premotor pain model 329–33
cingulate-subcortical circuitry 621
cingulate subregions 20–3, 805–6, 809–11
cingulate sulcus 67
cingulate surgery 411
cingulate vocalization subregion 352–4
cingulofrontal connections
cingulate motor areas 123–7
dorsolateral prefrontal 128–9
intrinsic 127–8
midcingulate anterior 117–20
midcingulate posterior 120–2
orbitofrontal-cingulate 129–30
retrosplenial cortex 122–3
cingulospinal projection neurons 10
cingulotomy
effect on pain processing 411–12
experimental pain studies 408–9
for pain 409–11
cingulum bundle 166–8
circuit modelling 393–5
Clinical Dementia Rating scores 774
clinical pain syndromes 427–30
clomipramine 595
closed loop circuits 621–2, 623
complex behaviors and psychiatric
disorders 624–5
cocaine, effects on cortical development
176–8
cognition 247–8, 249
activations and deactivations 250
cognitive awareness 282
cognitive-behavioral therapy
527, 588, 595
cognitive division 248
cognitive impairment *see* mild cognitive
impairment
cognitive impairment no
dementia 729
cognitive state, and reward
representation 197–200
comparative studies 66–93
anterior cingulate cortex 71, 72
flat maps 70–1, 70
anterior cingulate cortex 71
ectocallosal cortex 71
midcingulate cortex 71
posterior cingulate cortex 71
medial surface features
69–70, 69
midcingulate cortex 73–9, 90–1
animal models of human neuron
disease 90–1
cytology 90
neuroanatomy 89–90
neurocytology 71–2
posterior cingulate cortex 81–5
pyramidal neurons 81
retrosplenial cortex 79–81
complex attention 660–2
complex behaviors 624–5
complex partial seizures 636–8
COMT 172–3
conditioned stimulus 209
conflict monitoring 256–7
humans 136
monkeys 133–5
pregenual anterior cingulate
cortex in 242
schizophrenia 664–5
connections
amygdalar 146–8
dopamine 165–71
frontal 115–29
parietal 283–85
thalamic 96–107
temporal 148–57
conscious awareness 280, 281–3
anesthetic sensitivity 282–3
cerebral metabolism 281–2
epilepsy and vegetative state 282
role of anterior thalamus 282
sleep 282
conscious wakefulness 282
constructional apraxias 721–2
context-dependent sensory afferent
failure 581
contingent negative variation 366
continuous performance task 660
corpus callosum 67
lesions of 281
monkey 116
cortical transition 8–9, 79–81
corticlimbic system 680
schizophrenia 681–3
affectivity 681–2
logical processing 683
motivation 682–3
selective attention 682
sociability 683
corticotropin releasing hormone 468
cortisol 486
counting Stroop 248–50
CPMA *see* cingulate premotor areas and
cingulate motor areas
Cusum statistic 321
cutaneous information, innocuous
316–17
cyclin D 175
cytoarchitecture 7–9, 68–90, 288–90,
543–45
posterior cingulate and
retrosplenial cortices 71
posterior cingulate cortex 81–5
pyramidal neurons 81
retrosplenial cortex 79–81
complex attention 660–2
complex behaviors 624–5
complex partial seizures 636–8
COMT 172–3
conditioned stimulus 209
conflict monitoring 256–7
humans 136
monkeys 133–5
pregenual anterior cingulate
cortex in 242
schizophrenia 664–5
connections
amygdalar 146–8
dopamine 165–71
frontal 115–29
parietal 283–85
thalamic 96–107
temporal 148–57
conscious awareness 280, 281–3
anesthetic sensitivity 282–3
cerebral metabolism 281–2
epilepsy and vegetative state 282
role of anterior thalamus 282
sleep 282
conscious wakefulness 282
constructional apraxias 721–2
context-dependent sensory afferent
failure 581
contingent negative variation 366
continuous performance task 660
corpus callosum 67
lesions of 281
monkey 116
cortical transition 8–9, 79–81
corticlimbic system 680
schizophrenia 681–3
affectivity 681–2
logical processing 683
motivation 682–3
selective attention 682
sociability 683
corticotropin releasing hormone 468
cortisol 486
counting Stroop 248–50
CPMA *see* cingulate premotor areas and
cingulate motor areas
Cusum statistic 321
cutaneous information, innocuous
316–17
cyclin D 175
cytoarchitecture 7–9, 68–90, 288–90,
543–45

- decision-making
 feedback-mediated 258–61
 psychopathic behavior 577
- deep brain stimulation 411
- delusions 656
- dementia with Lewy bodies *see* Lewy body dementia
- depression 239, 625
 A β 42 peptide in 546–52
 regulation in therapy 552
- aggression-turned-inward model 538
- Alzheimer's disease 768
- anatomical studies 520–2
- bipolar 538, 553, 684
- cingulate gyrus in 519–31
- cingulate histopathology 541–3
- cingulate inactivation 507–8
- endophenotype 529–30
- functional neuroimaging 522–3
 limitations and synthesis 524–6
- glial loss 543
- major 553–5
 open-loop circuits 629
- mild cognitive impairment 768
- models of
 biological 538–9
 cognitive model 538
 learned helplessness model 538
 loss of self-esteem model 538
 multi-nodal network 526–31
 object loss model 538
 reinforcement model 538
- neurodegeneration 552–7
 bipolar disorder 553
 circuit consequences 559–61
 major depression 553–5
- neuron shrinkage 557–8
- neuropathological substrates 537–64
- neurotransmitter involvement 561–4
 GABAergic system 563–4
 serotonergic system 563
 and pain 506–7
- antecedent hypothesis 506, 508
- cognitive mediation
 hypothesis 506
 consequence hypothesis 506
 independent hypothesis 506
 scar hypothesis 506, 507
- postmortem survey of cingulate cortex 545–6
- treatment strategies 523–4, 561–64
- unipolar 538
- descending control systems 350–4
- cingulate vocalization subregion 352–4
- unpleasantness and happiness 352
- descending noxious inhibitory system 354–6
- cingulate regulation 390–1
 cingulate inputs to periaqueductal gray 390
 opiate intervention 390–1
- parabrachial nucleus 354–5
- periaqueductal gray inhibition
 blocking 355–6
- desipramine 595
- development
 anterior cingulate cortex 690–96
 dopamine 173–78
- difficulty monitoring 256
- diffuse noxious inhibitory system 350
- diffusion tensor imaging 589
 schizophrenia 658–9
- diprenorphine 341, 429–30
- directed attention 403–8
 sites 407
 sources 407
- disease vulnerabilities 23–5, 302–3
 chronic pain 24–5
 neurodegenerative disease 25
 neuropsychiatric 24
- DNIS *see* descending noxious inhibitory system
- dopamine
 and cell proliferation 175
 inputs to GABA cells in schizophrenia 696
- dopamine- β -hydroxylase 166, 221, 474, 478–83
- dopamine-GABA interactions 695–6
- dopamine receptors 171–2
 neurite outgrowth 176
- dopaminergic systems 52–3, 163–81
 abnormal development 176–8
 cocaine exposure 176–8
 ethanol exposure 178
 toxin-induced monoaminergic reorganization 176
- area and laminar terminations 168–70
- cingulate-prefrontal information processing 171–2
- cingulum bundle 166–8
- COMT-genotype regulation 172–3
- convergence of serotonin and dopamine fibers 696–7
- functions 179–81
- influence of serotonergic fibers 696–7
- influence on serotonergic innervation 697–9
- normal development 173–6
 cell proliferation 175
 first wave of innervation 173
 neurite outgrowth 176
 second wave of innervation 173, 175
- organization 165–71
- schizophrenia 686–89, 693–5
- sites of origin 165–6
- synaptology 170–1
- vulnerability to toxins 179–81
- dopamine transporter 175
 OCD 593
- dorsal multisensory stream 277, 288
- dorsal ramus 67, 808
- dorsal visual stream 285, 287–8
- dorsolateral prefrontal connections 128–9
- drugs of abuse
 cocaine 176–8
- ethanol 176–8
- DSM-IV 572
- ectocallosal cortex, comparative
 studies 71
- eight-subregion model 805–6
- electroconvulsive shock therapy 221
- electroencephalography, diagnosis of epilepsy 643–4
- emotion 4, 6, 22
 ACC 13
 anterior dorsal MCC 254
 explicit 572–3
 cingulate activations during 573–4
 implicit 572–3
 limbic cingulate cortex 22
 links to pain 317–20
 links to opioid receptors 346–47
 α -opioid receptor involvement 347
 primary 572
 serial processing 580–1
 temporal cortex 145
- emotional automatisms 639–43
- emotional counting Stroop 248–51
- emotional motor systems, top-down regulation 340, 341
- emotional placebo 350
- emotional response 576
 in OCD 601–2
 to pain 317–20
- empathy 576
 lack of in psychopaths 577–9
- endogenous opioids 390–1
 and allodynia 429–30
- entorhinal cortex 148
- epilepsy 281
 diagnosis 643–7
 electroencephalographic recordings 643–4
 laboratory studies 643
 magnetic resonance imaging 644–5
 magnetoencephalography 645–6
 PET 645
 SPECT 645
 neuropsychiatric comorbidity 647–8
- neurosurgical therapy 646–7
- pathogenesis 647–8
- see also* seizures
- episodic memory, impairment of 753–5
- error detection 254
 humans 136
 monkeys 133–5
 prediction error 257
 role of anterior dorsal MCC in 254
 schizophrenia 663–5
- error likelihood 257
- error-related negativity 254
 in psychopaths 576
- ethanol
 effects on cortical development 178
 prenatal exposure 178–9
- event-related negativity 603
- evoked potentials, OCD 602–3
- executive dysfunction 662–5
 conflict monitoring 664–5

- error detection 663–4
selection-for-action 663
- executive function 136
schizophrenia 660–1
- expectancy, role of anterior dorsal MCC in 255
- external cingulate gyrus 456, 808
- extinction 207–18
- extroversion 523
- eye movements 285
- eye position 285
- facial expression
fear 210
pain 312
surprise 211–13
- facial pain, atypical 410, 500
- fear 318–19
extinction 209
facial expressions 210
role of MCC in 13, 318–19
- feedback-mediated decision-making 258–61
- fentanyl 283, 342
- fibromyalgia 420, 500, 503
neuroanatomy 503
- fight-or-flight response 470
see also allostasis
- flat maps 70–1, 807–8, 812
monkey vs human 87
see also neuroimaging studies
- fluoxetine 458, 595
- fluvoxamine 595
- food, reward value 195
- four-region neurobiological model 12–16
Alzheimer's disease 766–8
- frontal-retrosplenial connections 122–3
- frontotemporal dementia 730
behavioral variant 773–4
- functional magnetic resonance imaging
see functional neuroimaging
- functional neuroimaging 209, 247–8
allodynia 419–30
Alzheimer's disease 751–2
depression 522–3
limitations and synthesis 524–6
- heat pain 425
- nociceptive systems 421–4
- OCD 592
before and after treatment 594–5
cognitive tasks 599–601
emotion-inducing stimuli 601–2
symptom provocation studies 596–9
- pain anticipation 369–72
- pain processing 402–3
- panic disorder 459
cognitive activation 460
symptom provocation 459–60
- posttraumatic stress disorder 455
cognitive activation 456–7
symptom provocation 455–6
- schizophrenia 659–65
cingulate pathology 666
- visceral pain 425
see also neuroimaging
- functional pain syndromes 486–90, 500
- animal models 508–9
fibromyalgia 420, 500, 503
irritable bowel syndrome 349, 371, 375, 486–7, 500, 501–2
non-specific low-back pain 500, 503–4
and stress 505–6
visceral 502
- functional processing 302–3
- GABA-dopamine interactions 695–6
- GABAergic system 43–5
GABA_A 44–5
GABA_B 45
in mood disorders 57–8
in neuropsychiatric disorders 684
role in treatment of depression 563–4
in schizophrenia 684–6, 691–2
dopamine inputs 686
- gastrointestinal motility 227
- gateway to limbic processing 300–02
- gelastic seizures 640
- giantopyramidal field 16
- glia 558–9
loss of 543
- glial fibrillary acidic protein 543
- globus pallidus 621–22
- glutamate decarboxylase 696
- glutamate-mediated excitotoxicity 56–7
- glutamatergic system 33–43
AMPA receptors 34–42
dysfunction in schizophrenia 686
kainate receptors 42
NMDA receptors 42–3
- G-protein coupling 345–6
- Guillain-Barré syndrome 242
- Hare Psychopathy Checklist Revised 572
- hallucinations 656
- halothane 283
- happiness, proximity to
unpleasantness 352
- head orientation 285, 300
- heart rate 10, 11, 229
- heat allodynia 403
- heat pain 425
- hippocampus 22
memory 455
temporocingulate interactions 147–8
- Hospital Anxiety and Depression Scale 506
- HPA axis 470
functional pain and stress 505–6
locus coeruleus and ACC
interactions 470–1
- Huntington's disease 624
- 6-hydroxydopamine 176
- hypnoanalgesia 387–8
blockade of thalamocingulate processing 394–5
circuit model 393–5
mechanisms of 389–90
role of endogenous opioids 390–1
- hypnosis 381–95, 422
- cingulate cortex involvement 385–7
effect on cingulate/forebrain circuitry 391–3
- forebrain mechanisms 384–5
as interventional alternative 395
overview 383–4
in pain neuromatrix 388–9
- hypnotic phenomena 383
- hypometabolism 541–2
- hypoperfusion 541–2
- hypothalamic-pituitary-adrenal gland axis *see* HPA axis
- hypothalamus
lateral 220, 484
in pain affect 424–6
- ideomotor apraxias 721–2
- imaging *see* neuroimaging studies
- indusium griseum 22, 167
- innocuous stimulus driving 315–17
cutaneous information 316–17
visceral information 316–17
- insular connections 152
- insular cortex 422
in pain affect 424–6
- intraparietal sulcus 283
- intrinsic cingulate connections 127–8, 330
- irritable bowel syndrome 349, 371, 375, 486–7, 500, 501–2
role of anticipation in 487
- Jackson, Hughling 633
- James, William 247
- kainate receptors 34, 42
binding in cingulate cortex 34
- Kraepelin, Emil 680
- language deficits
psychopathy 587–9
- laser-evoked potentials 402, 404–8
- lateral pain system 312
- learned fear associations 209
- learning, role of temporal cortex 145
- Lewy bodies 708
expression in Alzheimer's disease 721–2
structure 710–11
- Lewy body dementia 708
- Alzheimer's pathology 714–15
amyloid peptides 713–17, 720
case tissues 710
diagnostic sampling 711
dopamine hypothesis 718
first oothology 718–20
ideomotor and constructional deficits 721–2
- impaired visuospatial-motor coupling 721–2
- limbic-neocortical transition 711
- limbic pathology 715
- pathological changes 709–10
- role of cingulate cortex 721
- role of oxidative stress 721
- site of first damage 718, 720
- staging 718, 720
- symptoms 709–10
- limbic cingulate cortex 21–3
subregions 22–3

- limbic medial pain neuromatrix 333
 limbic pain systems 312, 330
 limbic processing streams
 multisensory motor access 299–300
 self monitoring/intention
 systems 299–300
 self monitoring of sensory
 relevance 297–8
 local circuit neurons 165
 local heterogeneity concept 260
 location, attention to 423
 locus coeruleus 468, 491–3
 cingulate interactions 469, 471–5
 efferents 473–5
 phasic and tonic modes 471–3
 top-down interactions 475
 diffuse/selective vs dense/selective
 innervation 469–70
 HPA axis interactions 470–1
 nociceptive viscerosomatic
 driving 475–6, 482–4
 logical processing in schizophrenia 683
- magnetic resonance imaging
 epilepsy 644
 OCD 589–91
 schizophrenia 657–8
 structural 589–91
 see also functional neuroimaging; neuroimaging
 magnetic resonance spectroscopy
 epilepsy 645
 OCD 591
 magnetoencephalography 642–6
 marginal ramus 67, 808–09
 marker peptides
 amyloid- β 42 *see* amyloid- β 42
 amyloid- β 43 *see* amyloid- β 43
 anterior cortical atrophy 775–7
 MCC *see* midcingulate cortex
 MCS *see* motor cortex stimulation
 mechanoreceptors 224
 medial pain system 312, 330, 421
 medial temporal cortex 146–50
 amygdala 146–7
 parahippocampal gyrus 148
 perirhinal cortex 148–9
 posterior parahippocampal cortex 149–50
 subiculum complex and hippocampus 147–8
 melancholia 538
 memory 15–16
 autobiographical 755–6
 episodic, impairment of 753–5
 role of temporal cortex 145
 and sensorimotor orientation 299
 valenced 300
 working
 role of anterior dorsal MCC in 256
 schizophrenia 662
 metabolic mapping 288–94
 microtubule-associated protein 2 176, 221
 micturition 220, 228
- biofeedback interventions 228
 circuit model 228
 midcingulate cortex 5, 11–12, 620
 activation 202–3
 amygdalocingulate connections 208–9
 amyloid peptides 790
 anterior 20–1
 disease associations 242, 245–68
 fear 318–19
 hyperactivation 488, 490
 Lewy body dementia pathology 715–18
 in OCD 604–5
 anterior dorsal
 electrophysiological studies 251–4
 localization 248–51
 mechanistic studies 251–4
 models of function 254–62
 role in cognition 247
 terminology 248–51
 attention-deficit/hyperactivity disorder 262–5
 closed loop circuits 621–2
 comparative studies 71, 73–9, 90–1
 animal models of human neuron disease 90–1
 cytology 90
 deafferentation 422
 descending projections 340–1
 functions 14–15
 attention-for-action 14
 fear 13
 reward 14
 monkey 73–9, 97, 99, 101
 anterior cingulofrontal
 connections 117–20
 posterior cingulofrontal
 connections 120–2
 thalamocingulate connections 97–101
 neurotransmitter receptors 37, 43–53
 posterior cingulate cortex 20–1
 comparative studies 79
 Lewy body dementia
 pathology 718, 719
 nociceptive activation 328
 nociceptive sensorimotor orientation 327–8
 transition in 8–9
 visceral responses 228–9
 midline, mediadorsal and intralaminar thalamic nuclei *see* MITN
 mild cognitive impairment 727–42, 751–53
 amnesia 752
 apathy and depression 768
 clinical characteristics 729–30
 clinical outcomes 730–1
 criteria 730
 differential diagnosis 730
 dysexecutive
 A β peptides 736–7
 cingulate neurodegeneration 737–9
 frontal and temporal pathology 734
- frontal variant 733–9
 neuropathology 733
 posterior cingulate variant 735–6
 visuoconstructual deficits 732–3, 742
 history 729
 MC1 immunoreactivity 739, 741
 neurodegeneration 737–39
 neuroimaging studies 731–2
 neuropathology 732
 terms for 729
 see also Alzheimer's disease
 Mini-Mental Score 764, 765
 MITN 312, 316, 322, 469
 cingulate premotor projections 329–30
 cortical projections 326–7
 input to PCC 328
 nociceptive inputs 322–4, 481–2
 nociceptive viscerosomatic driving 475–6
 norepinephrine afferents 481–83
 parabrachial projections 326
 spinothalamic tract
 terminations 324–5
 striatal projections 330–1
 subnucleus reticularis dorsalis
 projections 325–6
 synchronization of medial-limbic pain systems 330
 monkey 115–16
 anterior cingulate cortex 72, 101–4
 flat maps 71
 callosal sulcus 77–9
 cingulofrontal connections
 composition 283–4
 dopamine connections 165
 flat map comparisons 87
 flat maps 9–11, 70–1, 70, 71
 mapping to human 85, 87–8
 medial brain surfaces 69
 motor area functions 130–5
 neurocytology 71–2
 posterior cingulate cortex 96–7, 98
 prenatal ethanol exposure 178–9
 thalamocingulate connections 95–108, 145–58
 ectocallosal cortex 71
 midcingulate cortex 73–9, 97, 99, 101
 anterior cingulofrontal
 connections 117–20
 posterior cingulofrontal
 connections 120–2
 α -opioid receptor localization 343–5
 posterior cingulate gyrus 283–8
 posterior parietal connections 284
 posterior parietal cortex 283–4
 retrosplenial cortex 79–81, 97, 99
 cingulofrontal connections 122–3
 flat map 71
 mood disorders 57–8, 239, 538
 ACC-basal ganglia circuitry 626
 serotonin involvement in 57–8, 538
 see also depression

- mood regulation
 multi-nodal network model 526–9
 neural network models 241
 see also depression
- motivation
 role of anterior cingulate cortex 172
 role of temporal cortex 145
 in schizophrenia 682–3
- motor cortex stimulation 438
 cerebral blood flow changes 440, 441
 late-onset effects 440–2
 models of 440
 pain control 438–40
 cerebral blood flow 438–9
 cognitive effects 440
 modulation of spinal reflexes 439
 thalamic and cingulate
 changes 439
- multiple sclerosis 420
- multisensorimotor access 299–300
- multisensorimotor orientation 300, 302
- multi-source interference task 260
- multi-system sensitization 485
- multivariate models 55–56, 752, 771, 787
- muscarinic receptors
 M1 45–7
 M2 46, 47–8
 M3 45–7
- naloxone 391
- network models 240–1, 286–88, 300–02,
 331–33, 526–29, 580–82, 621–24
- neurite outgrowth 176
- neurobiological models
 eight-subregion 805–6
 four-region 766–8
- Neurobiology of Cingulate Cortex and Limbic Thalamus* vi, 6
- neurocytology 71–2
- neurodegeneration 552–5
 age-related 556
 Alzheimer's disease
 mechanisms of 721
 multiple/progressive subgroups
 769–71
 amyloid- β 42 deposition 720
 bipolar disorder 553
 cell-cycle reentry mechanism 739–40
 cingulate gyrus, mechanisms of 720–1
 circuit consequences 559–61
 laminar patterns 777–86
 marker peptides in PCC 789–90
 major depression 553–5
 Parkinson's disease model 708
 statistical analysis 765–6
 α -synuclein 711–13, 720
- neurodegenerative disorders 25
 glutamate-mediated
 excitotoxicity 56–7
- neurofibrillary degeneration 735–6
 A β peptides 736–7
- neurofibrillary tangles 714–15, 732, 764
 Parkinson's disease dementia 721
- neurofibromatosis 410
- neurofilament proteins 7–8
- neuroimaging studies 18–20, 804–16
 Alzheimer's disease 749–58
 amygdalocingulate interactions
 209–10
 flat maps 70–1, 70
 monkey vs human 87
 functional see functional neuroimaging
 hyponosis 384
 landmarks and orientation 807–8
 mild cognitive impairment 731–2
 pain anticipation 369–72
 parcellations 804–5
 reward 192–200
 abstract 196–7
 effects of cognitive states 197–200
 food 195
 olfactory stimuli 194–5, 196
 pleasant touch versus pain 192–4
 reward reversal 200, 201
 somatosensory stimuli and
 taste 194, 195
 visual and auditory stimuli 195–6
 water 195, 198
 structural see structural neuroimaging
 subregions
 borders 809–10
 limits 810–11
 voluming 811, 813–16
 sulcal variations 808–9
- neuron loss 556–7
- neuron shrinkage 557–9
- neuron-specific nuclear binding protein 7
 in Alzheimer's disease 7
- neuropathic pain 428–9
 central 419–30
 peripheral 420
- neurophysiology
 attention to pain 404–8
 pain processing 403–4
- neuropil, active 558–9, 560
- neuropsychiatric disease 237–43
 cingulate cortex dysfunction 243
 neural network models 240–1
 overlap between conditions 239
 phenomenology of 238–40
 role of cingulate gyrus 241–3
 symptomatic differences 239
 treatment response 239
 vulnerability to 24
- neuroticism 523
- neurotoxins
 effect on dopaminergic systems 181
 monoaminergic reorganization 176
- neurotransmitters, obsessive-compulsive disorder 593–4
- nicotinic receptors 48–9
- NMDA receptors 34, 42–3
 binding in cingulate cortex 34
 extinction learning 209
- nociception
 cingulate premotor areas 329–30
 pain 427–8
- nociceptive activation 328
- cingulate premotor areas 329
- nociceptive inputs 314–15
- anterior cingulate cortex 320–2
- anterior dorsal MCC 261–2
- locus coeruleus 475–76
- MITN 322–4
- visceral afferents 224–5, 314
- visceral circuitry 225–6
- nociceptive intensity coding 315–17
- nociceptive sensorimotor orientation 327–8
- nociceptive systems, functional neuroimaging 421–4
- nociceptive viscerosomatic drive 475–6,
 482–4
- unpredictability 488, 489
- nocifensive behaviors
 MITN and CPMA projections 330–1
 parafascicular nucleus in 329
- nocigenic stress 486–90
- nomenclature 18–20
- non-specific low back pain 500, 503–4
 neuroanatomy 504–5
- noradrenergic systems 49–51, 166
 alpha₁ receptors 49–50
 alpha₂ receptors 50–1
 enhancement of nocifensive responses 484–5
 involvement in mood disorders 57–8
 multiple system processing 476–7
- norepinephrine/locus coeruleus
 473–85
- cingulate afferents 473
- nociceptive driving 475
- amygdala interactions 477
- functional circuits 484–6
- in chronic pain and stress 486–91
- projections to parabrachial nucleus 479–80
- projections to periaqueductal gray 480–1
- projections to thalamus 481–3
- novelty detection, role of anterior dorsal MCC in 255
- obsessive-compulsive disorder 587–606,
 620, 625–9
- ACC-basal ganglia circuitry 626
- active cingulate areas 625
- basal ganglia contributions 628–9
- cingulate abnormalities 604
 midcingulate cortex 604–5
 cingulate circuit model 605–6
 cingulate motor activation and hand movements 627
- cognitive task studies 599–601
- electrical/magnetic evoked responses 602–3
- emotion-inducing stimuli 601–2
- event-related negativity 603
- functional neuroimaging 592
 before and after treatment 594–5
- ideation studies 625
- neural correlates of symptom factors 592–3

- obsessive-compulsive disorder (*cont.*)
 neurotransmitters and receptor systems 593–4
 open-loop circuits 629
 predictors of treatment response 596
 structural neuroimaging 588–91
 magnetic resonance imaging 589–91
 magnetic resonance spectroscopy 591
 surgery 627–8
 symptom provocation studies 596–9
 treatment response 596
 vs depression, anxiety and unhappiness 625, 627
- OCD *see* obsessive-compulsive disorder
- olfactory stimuli 194–5, 196
- one-region model 5–6
- open loop circuits 622–4
 ADHD 629
 complex behaviors and psychiatric disorders 624–5
 major depression 629
 schizophrenia 629
- μ -opioid receptors 340, 341–8
 binding and agonist stimulation 341–3
 descending control systems 350–4
 G-protein coupling 345–6
 increase in cerebral blood flow 347
 inhibition of neuronal activity 347
 intracortical cascade circuit 347–8
 links to human emotion 346–7
 localization in monkey 343–5
 neuron localization 345–6
 oral somatosensory stimuli 194
 orbitofrontal-cingulate connections 129–30
 orbitofrontal cortex, in pain affect 424–6
 osmoreceptors 224
 oxidative stress 721
- pain
 affect 424
 anterior dorsal MCC 261–2
 anticipation 374
 attention to 404–8
 body orientation 230–1
 central neuropathic 419–30
 chronic 442–4
 chronic widespread 420
 cingulate premotor model 331–3
 cingulate premotor pain model 311–33
 cingulotomy for 409–11
 components of 401
 emotional linkages 317–20
 fear 318–19
 unpleasantness 317–18
 empathy with 577–9
 experimental 408–9
 heat 425
 individual experience of 426–7
 intensity 422
 nociceptive 427–8
 psychogenically maintained 427–8
 and stress 469
 visceral 425
- pain anticipation 365–77
 electrophysiological studies 367–9
 functional neuroimaging studies 369–72
- mental representation 374
 modulation of activity in cingulate clusters 372–4
 selective attention 374
 vigilance 374
- pain, central 438
- pain, central neuropathic 420, 428
 opioids 429
- pain control 437–46
 motor cortex stimulation 438–40
 cerebral blood flow 438–9
 cognitive effects 440
 modulation of spinal reflexes 439
 thalamic and cingulate changes 439
- pain evoked potentials 403–08
 pain expression
 facial expression 312
 vocalization 312
- pain facilitation 356–7
- pain functional 500
- pain, low back 503–5
- pain neuromatrix
 hypnosis in 388–9
 limbic medial 333
- pain processing 401–12
 anatomy 402
 effect of depression on 506–7
 effects of cingulotomy 411–12
 experimental studies 408–9
 feedback 261–62
 functional neuroimaging 402–3
 interpretation of group responses 426–7
 links to chronic stress 486
 neurophysiology 403–4
 short circuit 302
- panic disorder
 functional neuroimaging 459
 cognitive activation 460
 symptom provocation 459–60
- neurocircuitry model 459
- pathophysiology vs vulnerability 460–1
- structure and neurochemistry 460–1
 symptoms 459
- see also* posttraumatic stress disorder
- Papez-MacLean model 6
- parabrachial nucleus 354–5
 nociceptive viscerosomatic driving 475–6
- norepinephrine afferents 479
- as viscerosomatic nociceptive integration center 479
- parabrachial projections 323, 326
- paracingulate sulcus 70, 804
- parafascicular nucleus 469
 nocifensive behaviors 329
- paragigantocellular nucleus 469
- parahippocampal gyrus 148
- parasylvian cortex 402
- paraventricular hypothalamic nucleus 468
- parietal cortex 292–95
- Parkinson's disease 624
 with dementia 708
 role of cingulate cortex 721
 neural network model 240
- paroxetine 595
- parvalbumin 170
- pathoclis 24
- PCC *see* posterior cingulate cortex
- penile erection 10, 11
- peptide nitration 721
- performance monitoring 256–7
- periaqueductal gray 220, 340
 cingulate inputs 355, 390
 hypnoanalgesia 391–4
 inhibition blocking DNIS 354–5
 norepinephrine afferents 479–81
 regulation by vocalization
 subregion 352–4
- skeletomotor-autonomic reflexes 479–81
- perirhinal cortex 148–9
- perisplenial strokes 16, 278–9
- PET *see* positron emission tomography
- phantom limb pain 410
- phenomenal awareness 573
- placebo effect, anticipation of 376–7
- placebo map 348–50
 acupuncture placebo 349–50
 emotional placebo 350
- planning 577
- polar receptor plots 11–12, 53–55
- positron emission tomography 209, 247
- caudal cingulate motor area connections 292–5
- epilepsy 645
- hypnosis 384
- motor cortex stimulation 438–40
- OCD 593
- posterior cingulate gyrus 290–7
see also functional neuroimaging
- posterior cingulate cortex 6, 8
 A β 42 plaque deposition 549–50
 Alzheimer's disease 753–6
 amyloid peptides in 788–9
 comparative studies 71, 81–5
 dorsal 15, 21
 arterial perfusion 278–9
 caudal cingulate motor connection 287
 comparative studies 83, 85
 nociceptive activation 328
 self orientation in space 297
 visuospatial orientation 285
- dorsal multisensory circuits 285–7
- duality of 155–8
- functions 15
- MITN input 328
- monkey 96–7, 98
- neuron loss 556–7

- neurotransmitter receptors 39, 40, 41, 44, 45, 48, 50, 53
sensorimotor orientation 287, 288
temporocingulate interactions 152–4
thalamocingulate connections 96–7
ventral 15, 21
arterial perfusion 278–9
comparative studies 83, 85
monitoring of sensory relevance 297–8
visceral responses 230
posterior cingulate gyrus 275–303
arterial perfusion 278, 279
human
composition 288, 289
correlation FDG-PET studies 290–7
metabolic mapping 290
monkey 283–8
connections to PCC 284
posterior parietal information transfers 285
overview 279–81
stroke and surgical damage 278–9
posterior cortical atrophy 774
as Alzheimer's subtype 793
early visual impairment 790–3
histopathology 786–8
visuospatial impairment 786
posterior parahippocampal cortex 149–50
posterior parietal cortex, monkey 283–4
posttraumatic stress disorder 213
ACC/amygdala correlations 457–8
cognitive activation 456–7
functional neuroimaging 455
neurocircuitry model 454–5
pathophysiology vs vulnerability 460–1
role of ACC in 453–61
structure and neurochemistry 458–9, 490–1
symptom provocation 455–6
combat audiovisual stimuli 456
script-driven 455–6
symptoms 454–5
treatment studies 458
prediction error 257
prefrontal cortex, ACC connections 620–1
progressive supranuclear palsy 756
propofol 282–3
psychiatric disorders 619–40
cingulate motor circuits 629–30
open/closed loop circuits 624–5
psychic akinesthesia 624
psychogenic stress 486
psychopathy 571–83
affective 572
anti-social 572
autonomic control and emotional information 576
cingulate dysfunction 574–5
cingulate subregional inactivations 575–6
decision making, planning and avoidance 577
empathy and pain neuromatrix 577–9
information-processing impairment theory 579–82
interpersonal 572
language deficits 587–9
lifestyle 572
significance, valence and context-dependent sensation 576–7
pyramidal neurons, comparative studies 81
rat
mapping of cingulate cortex to monkey 88–9
midcingulate cortex 79
model of schizophrenia 689–99
receptor fingerprint analysis 53–4
receptors
AMPA 34–42
dopamine 171–2, 176
kainate 34, 42
muscarinic 45–8
nicotinic 48–9
NMDA 34, 42–3
noradrenergic 49–51
obsessive-compulsive disorder 593–4
 α -opiate 340, 341–8
regional distribution
ACC 36, 44–52
MCC 37, 43–53
PCC 39, 40–53
reciprocal suppression 16–18
reflective awareness 573
regional circuits 9–11
regional functions 12–16
anterior cingulate cortex 12–14
midcingulate cortex 14–15
posterior cingulate cortex 15
retrosplenial cortex 15–16
remifentanil 342, 349
response selection, role of anterior dorsal MCC in 255–6
retrobulbar nucleus 165
retrosplenial amnesia 15, 154, 157
retrosplenial cortex 6, 12, 13
comparative studies 71, 79–81
cytoarchitecture 288–90
functions 15–16
body movement 16
memory 15–16
visuospatial orientation 16
monkey 79–81, 97, 99
cingulofrontal connections 122–3
neurotransmitter receptors 40, 43, 45, 47, 48, 49, 50, 52
sensorimotor orientation and memory 299
temporocingulate interactions 152–4
thalamocingulate connections 87
reuniens nucleus of thalamus 231
reward
abstract 196–7
reversal 200, 201
role of anterior cingulate cortex 172, 192–203
functional neuroimaging studies 192–200
lesions in animals 192
lesions in humans 200–1
role of midcingulate cortex 202–3
reward-based behavior control 133
reward-based decision-making task 259, 260
rostral cingulate motor area 123–7
RSC see retrosplenial cortex
schizoaffective disorder 239
schizophrenia 25, 239, 277, 625, 655–68
ACC-basal ganglia circuitry 626
amygdalocingulate connections 692–93
cingulate pathology 679–700
cognitive function 659–65
complex attention and executive functions 660–2
conflict monitoring 664–5
error detection 663–4
executive dysfunction 662–5
selection-for-action 663
selective attention 682
working memory 662
corticolumbic system 681–3
affectivity 681–2
logical processing 683
motivation 682–3
selective attention 682
sociability 683
dopaminergic systems 693–5
functional neuroimaging 659–65
cingulate pathology 666–7
mechanisms
altered neural circuitry in ACC 686–9
GABA defect in ACC 684–6
glutamatergic system dysfunction 686
mis-wiring of cingulate circuits 699–700
pre- and postnatal stress 689–90
neuropathology 684–86
open loop circuits 629
postmortem studies 684–9
volumetric brain imaging 657–9
diffusion tensor imaging 658–9
MRI 657–8
script-driven imagery paradigm 455–6
seizures 633–49
absence 637
animal studies 635
automatisms 638–9
emotional 639–43
complex partial 636–8
gelastic 640
human observations 635–6
simple partial 636–8
autonomic 636
skeleto-motor symptoms 638–9
structure-function relations 648–9
see also epilepsy

- selection-for-action 255–6
schizophrenia 663
- selective attention
to pain anticipation 374
in schizophrenia 582
- selective serotonin reuptake inhibitors 524
- self orientation in space 297
- self-relevant information, extraction of 300
- senile plaques 732
- sensorimotor orientation 287, 288
and memory 299
nociceptive 327–8
- sensory relevance, ongoing self monitoring 297–8
- serotonin 696
- serotonergic system 51–2
5-HT_{1A} receptors 51
convergence of serotonin and dopamine fibers 696–7
and cortical dopamine innervation 696–7
influence of dopamine fibers 697–9
involvement in mood disorders 57–8, 538
role in treatment of depression 563
- serotonin reuptake inhibitors 239, 588
- serotonin transporter, OCD 539, 593
- sertraline 595
- simple partial seizures 636–8
- single-photon emission computed tomography (SPECT)
epilepsy 645, 646, 647
OCD 592, 594
see also functional neuroimaging
- skeleto-motor-autonomic reflexes 479–81
- skeleto-motor output 302
- skin conductance 576
- sleep 282
REM 282
- smooth-pursuit eye movements 285
- sociability in schizophrenia 683
- somatic pain, cingulate links 509
- somatosensory cortex 402
- somatosensory-evoked potentials 438
- spatial orientation 287, 288
- spinal reflexes, motor cortex stimulation 439
- spinothalamic tract
MITN terminations 324–5
pain sensation 402
- splenial sulcus 70
ventral branch 278
- statistical parametric mapping 16, 17, 290
- stress 468
animal models 508–9
and chronic pain 469
cingulate links 509
and functional pain syndromes 505–6
and induction of schizophrenia 689–90
links to pain processing 486
nociceptive 486–90
- psychogenic 486
psychogenic model 490–1
- stress sensitization 485
- stress urinary incontinence 220
biofeedback interventions 228
- striosomal path 622, 624
- stroke
perisplenial 278–9
posterior cingulate gyrus damage 278–9
- Stroop tasks 109, 210, 248, 384, 402, 403
schizophrenia 660, 663
- structural neuroimaging
Alzheimer's disease 751
OCD 588–91
- subiculum complex 147–8
- subnucleus reticularis dorsalis 323
pain facilitation 356–7
projections 325–6
- subregions 20–1
- subregions-of-interest 806
sulcal variations in relation to 808–9
- substance P 316
- substantia nigra 165
pars reticulata 621
- sulcal cortex 330
- superior temporal gyrus projections 150–2
- supplementary motor area 402
- surgery, hypnoanalgesia 387–8
- surprise, facial expressions 211–13
- synapses, dopaminergic 170–1
- synaptophysin 733
- α -synuclein 708, 709
aggregation 720
amyloid- β 42 interrelations 713–14
folding 720
and neurodegeneration 711–13
neurons expressing 709
phosphorylation 720
topography 711
- syringomyelia 420
- tactile stimuli, reward value 192–4
- tap stimulation 316
- target selection, role of anterior dorsal MCC in 255–6
- taste stimuli 194, 195, 223–4
- tau phosphorylation 736, 777
- temporal lobe 145
auditory information flow 154–5
- temporal pole projections 150
- temporocingulate interactions 145–58
auditory information flow 154–5
insular connections 152
medial temporal cortex 146–50
amygdala 146–7
parahippocampal gyrus 148
perirhinal cortex 148–9
posterior parahippocampal cortex 149–50
subiculum complex and hippocampus 147–8
- posterior cingulate duality 155–8
- posterior cingulate and retrosplenial cortices 152–4
- superior temporal gyrus projections 150–2
- temporal pole projections 150
- thalamic nuclei
anterior
stroke and surgical damage 278–9
wakefulness and cognitive awareness 282
- pain systems 312
see also MITN
- thalamocingulate connections 95–108
anterior cingulate cortex 97–101
functional implications 106–7
imaging studies 108
midcingulate cortex 97–101
neuroanatomical studies 108
overall organization 104–6
posterior cingulate cortex 96–7
retrosplenial cortex 87
- thalamocingulate processing, blockade in hypnoanalgesia 394–5
- thalamotomy 411
- thalamus
in conscious awareness 282
limbic, ablation of 411
pain control 439
pain response 404
therapeutic targeting 25–6
time estimation neurons 368
timing, role of anterior dorsal MCC in 255
- topistic neurons 24
- Tourette's syndrome 625
- ACC-basal ganglia circuitry 626
- Trail making test 660
- transition regions 4, 8–9
- transmitter receptor systems 32–58
cholinergic system 45–9
muscarinic M₁/M₃ receptors 45–7
muscarinic M₂ receptors 46, 47–8
nicotinic receptors 48–9
- dopaminergic system 52–3
- GABAergic system 43–5
GABA_A 44–5
GABA_B 45
- glutamatergic system 33–43
AMPA receptors 34–42
kainate receptors 42
NMDA receptors 42–3
- norepinephrine 469, 473
- alpha₁ receptors 49–50
alpha₂ receptors 50–1
- cingulate afferents 473–7
- organization 53–6
multivariate models 54–6
- receptor fingerprint analysis 53–4
- serotonergic system 51–2
5-HT_{1A} receptors 51
5-HT₂ receptors 51–2
- tuberomammillary nucleus 282
- two-region model 5–6
- tyrosine hydroxylase 166, 696

unconditioned stimulus 209
unpleasantness 317–18, 401
attention to 423, 426
proximity to happiness 352
see also pain

valence-code processing model 277, 300–2
information based on valenced
memories 300
integrated skeleto-motor and
autonomic outputs 302
multisensorimotor orientation
300, 302
potential pain-processing short
circuit 302
relevance of amygdala 302
self-relevant, context-dependent
information 300
sensory driven orientation of head
and body 300
valence-based outcome selection 302
valenced memories 300
vascular claudication 410
vascular cognitive impairment, no
dementia 730
vegetative state 281

ventral pallidum 621
ventral tegmental area 165
ventral visual stream 287–8
ventromedial prefrontal cortex 213
verbal fluency 402, 403
vigilance, pain anticipation 374
visceral activity, body orientation 230–1
visceral circuits 219–31
efferent cingulate projections 226–7,
226–8
electrically evoked autonomic
activity 221
sensory afferents 221–6, 320–2
baroreceptor afferents 221–2
mechanical/chemical
afferents 222–3
nociceptive afferents 224–5,
224–6
nociceptive circuitry 225–6
taste 223–4
visceral information, innocuous
316–17
visceral integration 231
visceral pain syndromes 425, 502
cingulate links 509
visceral response paradoxes 228–30

visual impairment 790–3
visual stimuli, reward value 195–6
visual streams
dorsal 285, 287–8
ventral 287–8
visuoconstructional deficits
Alzheimer's disease 742
Lewy body dementia 722
mild cognitive impairment 732–3, 742
visuospatial impairment 721–2
posterior cortical atrophy 786
visuospatial orientation 16, 285
vocalization
pain expression 312
role of periaqueductal gray 352–4
volumetric brain imaging 657–9
diffusion tensor imaging 658–9
MRI 657–8
voxel-based morphometry 589

Wallenberg's syndrome 428
water, reward value 195, 198
Wisconsin Card-Sorting Test 660
working memory
role of anterior dorsal MCC in 256
schizophrenia 662